

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	35	(prefetch adj buffer) and (line adj size) and (read adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:40
L2	0	(prefetch adj buffer) and ((modif\$3 or change or alter ora dapt or optimiz\$3 or configur\$5 or select) adj (line adj size)) and (read adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:42
L3	0	(prefetch adj buffer) and ((modif\$3 or change or alter or adapt or optimiz\$3 or configur\$5 or select) adj (line adj size)) and (read adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:42
L4	2	(prefetch adj buffer) and ((modif\$3 or change or alter or adapt or optimiz\$3 or configur\$5 or select) adj2 (line adj size)) and (read adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:44
L5	2	((prefetch adj buffer) and ((modif\$3 or change or alter or adapt or optimiz\$3 or configur\$5 or select) with (line adj size)) and (read adj request)) not 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 18:44
S1	3	((("20040225758") or ("4914573") or ("5752267"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/21 13:55
S2	6527	((709/104) or (710/35) or (710/52) or (710/56) or (710/310) or (711/133) or (711/137) or (711/140) or (711/146) or (711/156) or (711/170) or (712/237)).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/21 13:56
S3	214	S2 and (prefetch adj buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 13:56
S4	7	S2 and (prefetch adj buffer) and (burst adj size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 13:56
S5	7	S2 and (prefetch adj buffer) and (burst adj (size or depth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 13:57

S6	14	S2 and (prefetch adj buffer) and (burst adj (size or depth or length))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:14
S7	1	(prefetch adj buffer) with (burst adj (size or depth or length))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 15:25
S8	5	(prefetch adj buffer) and (burst adj (size or depth or length)) and (line adj size) and read and (data adj size)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:16
S9	21	(prefetch adj buffer) and (burst adj (size or depth or length)) and (line adj (depth or length or size)) and read and (data adj (depth or length or size))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:26
S10	0	configure with ((prefetch or (pre adj fetch) or pre-fetch) adj buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:31
S11	45	config\$6 with ((prefetch or (pre adj fetch) or pre-fetch) adj buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:41
S12	32	allocat\$5 with ((prefetch or (pre adj fetch) or pre-fetch) adj buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:48
S13	24	((allocat\$5 or configur\$5 or partition\$3) with ((prefetch or (pre adj fetch) or pre-fetch) adj buffer)) and (burst adj (length or size or depth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:50
S14	0	((allocat\$5 or configur\$5 or partition\$3) with ((prefetch or (pre adj fetch) or pre-fetch) adj buffer)) with (burst adj (length or size or depth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:50
S15	0	((allocat\$5 or configur\$5 or partition\$3) with ((prefetch or (pre adj fetch) or pre-fetch) adj buffer)) near (burst adj (length or size or depth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 14:50
S16	24	(prefetch adj buffer) with burst	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 15:58

S17	1423	(711/170).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/21 16:02
S18	7	S17 and (prefetch adj buffer)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 16:12
S19	2374	((711/170) or (711/171) or (711/172) or (711/173)).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/21 16:12
S20	7	(S19 and (prefetch adj buffer)) not S18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/21 16:13
S21	3	((("6529998") or ("6085291") or ("5958040")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/12/21 18:38